



Videoscope

PCE-VE 380N

PCE Americas Inc.
711 Commerce Way
Suite 8
Jupiter
FL-33458
USA
From outside US: +1
Tel: (561) 320-9162
Fax: (561) 320-9176
info@pce-americas.com

PCE Instruments UK Ltd.
Units 12/13
Southpoint Business Park
Ensign way
Hampshire / Southampton
United Kingdom, SO31 4RF
From outside UK: +44
Tel: (0) 2380 98703 0
Fax: (0) 2380 98703 9
info@pce-instruments.com

EN

www.pce-instruments.com/english
www.pce-instruments.com

PCE-VE 380N Videoscope

Waterproof downhole video inspection camera or industrial endoscope with 30 m / 98 ft long cable on reel

PCE-VE 380N is an industrial videoscope, endoscope, borescope or inspection camera with a handheld monitor that allows you to gain valuable visual insight into the inner workings of machines and other small spaces such as ventilation ducts, drainpipes and downpipes, sewer pipes, chimneys and more.

This semi-flexible / semi-rigid waterproof inspection camera is ideal for a variety of industrial and trade applications. With a sleek 28 mm / 1.11" diameter waterproof camera head, PCE-VE 380N is a user-friendly inspection scope that can handle bends in pipes with diameters of only 90 mm / 3.54". Images and video can be stored directly on the device or on the memory card.

*****Not for medical use*****

- Features a 28 mm / 1.11" diameter waterproof camera head, picture and video recording capabilities, bright LED lights, and a 30 m / 98 ft long push-pull cable on a reel
- Comes with a 3.7 V rechargeable lithium-ion battery, 3.5 in. TFT LCD monitor, and centering star
- Includes an SD memory card, hard carrying case, and user manual

Specification

Cable diameter	28 mm / 1.11 in.
Cable length	30 m / 98 ft
Depth of field	10 mm ... ∞ / 0.4" to infinity
Field of view	150.8 °
Bending radius	90 mm / 3.54 in.
Illumination	8 LEDs
Image sensor	CMOS / 640 x 480
Picture rate	30 / sec.
Display	88.9 mm / 3.5 in. TFT LCD monitor
Interface	Mini USB 1.1 / AV out
Storage options	Image or video
Storage	8 GB memory card (can be increased to 32 GB)
Compression format	MPEG 4
Picture format	JPEG (640 x 480)
Video output format	NTSC / PAL
Video format	ASF (320 x 240)

Operation and storage temperature -10 ... +60 °C / +14 ... +140 °F

Voltage supply Rechargeable 3.7 V lithium-ion battery

Dimensions, handheld device 207 x 118 x 37 mm / 8.15 x 4.65 x 1.46 in.

Weight, incl. carrying case 9.98 kg / 22 lbs

Protection type, camera IP 68 = No ingress of dust; complete protection against contact (dust tight) and waterproof; meaning it can be underwater for 30 minutes at depths of up to 1.5 m / 4.92 f

Delivery content:

- 1 x PCE-VE 380N videoscope with handheld monitor
- 1 x semi-flexible / semi-rigid waterproof push-pull cable on reel
- 1 x centering star
- 1 x 8 GB SD memory card
- 1 x rechargeable lithium-ion battery
- 1 x hard carrying case
- 1 x user manual